



一孔双钉系列

(圆孔 & 结合孔)

锁定接骨板固定系统

(Round-holes & Combi-holes)

LOCKING PLATE FIXATION SYSTEM



江苏双羊医疗器械有限公司

Jiangsu Shuangyang Medical Instrument Co., Ltd.



Company Introduction

企业简介



江苏双羊医疗器械有限公司，创建于2001年，占地面积18000平方米，建筑面积15000多平方米，注册资金2000万。是一家从事骨科植入产品的研发、制造、销售和服务的民族企业，获得多项国家级专利。

公司选择钛及钛合金为原材料，严把质量关，选择国内外知名企业宝钛、ZAPP等作为原材料供应商，并配备世界一流的加工中心、纵切车床、数控铣床、超声波清洗等生产设备和装置，以及万能试验机、电子扭转机、数字投影仪等精密的量具。公司拥有完善的管理体系，先后通过了ISO9001；2015质量管理体系认证，ISO13485:2016医疗器械质量管理体系认证，TUV的CE认证，并于2007年率先通过国家局组织的《医疗器械生产质量管理规范植入性医疗器械实施细则（试点）》检查。

公司针对人体各个骨骼部位的特点，在著名骨科专家、教授、临床医师的悉心指导与帮助下，推出众多主导产品：锁定接骨板固定系统、钛质接骨板固定系统、钛质空心接骨螺钉及垫片、钛质胸肋骨系统、锁定颌面内固定系统、颌面内固定系统、钛质捆绑系统、解剖型钛网系统、胸腰后路钉棒系统、椎板固定板系统、金属带锁髓内钉、外固定支架、基础工具系列等，并拥有专业的配套手术器械包，以满足临床不同的需求。公司的产品因设计可靠、加工精细、医生临床使用方便、患者愈合期短而受到了许多临床医师和患者的高度评价。

中国梦，双羊梦！双羊作为一个有使命感、有责任心、有抱负、有人文情怀的公司的初衷不会变，始终以“以人为本，诚信至上，不断创新，追求卓越”的理念不会变，争创医疗器械领域民族品牌领头羊的决心不会变。愿更多有志者与双羊共同创造美好的未来！



Jiangsu Shuangyang Medical Instrument Co., Ltd. was founded in 2001, covers an area of 18,000 m², including a floor area of over 15,000 m². Its registered capital reaches 20 million Yuan. As a national enterprise dedicated to the R&D, manufacturing, sales and service of orthopaedic implants, we have obtained several national patents.

Titanium and titanium alloys are our raw materials. We perform strict quality control, and select domestic and international famous brands, such as Baotí and ZAPP, as our raw material suppliers. Meanwhile, we are equipped with world class production equipment and devices including machining center, slitting lathe, CNC milling machine, and ultrasonic cleaner, etc., as well as precise measuring implements including

universal tester, electronic torsion tester and digital projector, etc. Thanks to a sophisticated management system, we have acquired ISO9001: 2015 Certificate of Quality Management System, ISO13485:2016 Certificate of Quality Management System for Medical Devices, and CE certificate of TUV. We are also the first to pass the inspection according to the Enforcement Regulation (Pilot) for Implantable Medical Devices of Good Manufacturing Practice for Medical Devices organized by the National Bureau in 2007.

Thanks to meticulous guidance and supports from distinguished orthopaedic specialists, professors and clinicians, we have launched numerous leading products customized for different human skeletal parts, including locking bone plate fixation system, titanium bone plate fixation system, titanium cannulated bone screw & gasket, titanium sternocostal system, locking maxillofacial internal fixation system, maxillofacial internal fixation system, titanium binding system, anatomic titanium mesh system, posterior thoracolumbar screw-rod system, laminoplasty fixation system, interlocking intramedullary nail, external fixator and basic tool series, etc. We also have professional supporting surgical instrument sets to meet various clinical needs. Extensive acclaims have been received from clinicians and patients for our easy-to-use products with reliable design and fine machining, which can bring a short healing period.

China dream and Shuangyang dream! We will stick to our original intention to be a mission-driven, responsible, ambitious and humanistic company, and adhere to our idea of "people orientation, integrity, innovation, and excellence". We are determined to be a leading national brand in the medical Instrument industry. At Shuangyang, we always welcome aspiring talents to co-create a bright future with us.





Advanced Equipment

精良装备

专业的技术支持、先进的设备、严格的工艺规程、
配套零部件的精心选用、一丝不苟的敬业精神、充分保
证了产品的质量。

Professional technical support, advanced
equipment, strict technological procedures,
carefully selected auxiliary parts, and meticulous
conscientiousness, all these factors help to ensure
the quality of our products.





纵切车削中心 The Turning Center

Quality Control System

品控体系



我们坚守稳定的产品质量，恪守产品的表里如一，信奉制造的一丝不苟，从设计、制造、检测，到管理，每一道工序，每一个环节，专家式的管理，皆表露出 ISO9001:2000 的规范化和标准化。

We try our best to ensure reliable product quality and meticulous manufacturing. From design, manufacturing, detection to management, we carry out professional control in each step and each process according to ISO9001:2000 norms and standards.



①



②

1. 原材料管控
Raw Material Control
2. 设备刀具辅料管控
Equipment, Cutter & Accessory Control



③



④



⑤

3. 过程能力管控
Process Capability Control
4. 工装模具管控
Tooling Control
5. 质量能力管控
Quality Capacity Control

Contents

目录

12-14 锁定 2.0 系列接骨板 2.0 series locking plate

- 14 锁定桡骨小头接骨板
Radial head locking plate

15-17 锁定 2.4 系列接骨板 2.4 series locking plate

- 17 锁定桡骨小头接骨板
Radial head locking plate

18-28 锁定 3.0 系列接骨板 3.0 series locking plate

- 18 锁定鹰嘴接骨板
Olecranon locking plate
- 19 锁定掌背侧接骨板
Volar dorsal locking plate
- 20 锁定掌侧接骨板
Volar locking plate
- 23 锁定 3.0 系列接骨板
3.0 series locking plate
- 25 锁定 1/3 管型接骨板
One-third tubular locking plate
- 26 锁定腓骨远端接骨板
Distal fibular locking plate
- 28 锁定跟骨接骨板
Calcaneal locking plate





30-55 锁定 4.0 系列接骨板

4.0 series locking plate

- 30 锁定 4.0 直形接骨板
4.0 straight locking plate
- 32 锁定骨盆重建接骨板
Pelvic reconstruction locking plate
- 34 锁定锁骨重建型接骨板 (中远端)
Clavicle reconstruction locking plate (Middle & Distal)
- 35 锁定锁骨重建型接骨板 (远端)
Clavicle reconstruction locking plate (Distal)
- 37 锁定锁骨钩接骨板
Clavicle hook locking plate
- 38 锁定肱骨颈接骨板
Neck of humeral locking plate
- 39 万向锁定肱骨颈接骨板
Multi-axial neck of humeral locking plate
- 40 锁定肱骨下段 Y 形接骨板 (前侧)
Anterior humeral Y shape locking plate
- 41 锁定肱骨下段 Y 形接骨板 (后侧)
Posterior humeral Y shape locking plate
- 42 锁定肱骨远端亚髁接骨板
Distal humeral sub-condyle locking plate
- 43 锁定肱骨远端内侧接骨板
Distal medial humeral locking plate
- 44 锁定肱骨远端外侧接骨板
Distal lateral humeral locking plate
- 46 锁定胫骨平台外侧接骨板
Lateral tibia plateau locking plate
- 47 万向锁定胫骨平台外侧接骨板
Multi-axial lateral tibia plateau locking plate
- 48 锁定胫骨平台内侧接骨板
Medial tibia plateau locking plate
- 49 万向锁定胫骨平台内侧接骨板
Multi-axial medial tibia plateau locking plate
- 50 锁定胫骨平台正后侧接骨板
Posterior tibia plateau locking plate

- 52 锁定胫骨平台后内侧接骨板
Posteromedial tibia plateau locking plate
- 53 锁定胫骨远端后外侧接骨板
Distal posterior lateral tibia locking plate
- 54 锁定胫骨远端外侧 L 型接骨板
Distal lateral tibia L shape locking plate
- 55 锁定胫骨远端内侧接骨板
Distal medial tibia locking plate

56-69 锁定 5.0 系列接骨板

5.0 series locking plate

- 56 锁定 5.0 窄型接骨板
5.0 straight narrow locking plate
- 57 锁定 5.0 宽型接骨板
5.0 straight broad locking plate
- 58 万向锁定股骨颈接骨板 I 型
Multi-axial neck of femur locking plate (I type)
- 59 万向锁定股骨颈接骨板 II 型
Multi-axial neck of femur locking plate (II type)
- 60 锁定股骨近端接骨板
Proximal femur locking plate (Combi-holes)
- 61 万向锁定股骨近端接骨板
Multi-axial proximal femur locking plate
- 62 锁定股骨远端接骨板
Distal femur locking plate
- 63 万向锁定股骨远端接骨板
Multi-axial distal femur locking plate
- 64 锁定胫骨平台内侧接骨板
Medial tibia plateau locking plate



- 65 万向锁定胫骨平台内侧接骨板
Multi-axial medial tibia plateau locking plate
- 66 锁定胫骨平台外侧接骨板
Lateral tibia plateau locking plate
- 67 万向锁定胫骨平台外侧接骨板
Multi-axial lateral tibia plateau locking plate
- 68 锁定胫骨远端外侧接骨板
Distal lateral tibia locking plate
- 69 万向锁定胫骨远端外侧接骨板
Multi-axial distal lateral tibia locking plate

- 70-74 钛质锁定接骨螺钉 Titanium locking screw
- 75-79 钛质皮质骨接骨螺钉 Titanium cortex screw
- 80-85 钛质松质骨接骨螺钉 Titanium cancellous screw
- 86-98 钛质空心接骨螺钉 Titanium cannulated screw



锁定 2.0 系列接骨板

2.0 series locking plate

适用部位：指骨、掌骨、趾骨、跖骨、桡骨头

Suitable for phalange, metacarpal, phalanx, metatarsal, head of radius

配用：Φ2.0 锁定钉，Φ2.0 皮质骨螺钉

Matching Φ2.0 locking screw, Φ2.0 cortex screw

直形 Straight

订货编码 Order code.	规格 Specification		
10.06.02.04011010	直形	4 孔	24mm
★ 10.06.02.05011010	直形	5 孔	30mm
10.06.02.06011010	直形	6 孔	36mm
10.06.02.07011010	直形	7 孔	42mm



90° L 形 90° L-plate

订货编码 Order code.	规格 Specification		
10.06.02.04115010	90° L 形 左 (L)	4 孔	20mm
10.06.02.04215010	90° L 形 右 (R)	4 孔	20mm
★ 10.06.02.05115010	90° L 形 左 (L)	5 孔	26mm
10.06.02.05215010	90° L 形 右 (R)	5 孔	26mm



110° L 形 110° L-plate

订货编码 Order code.	规格 Specification		
10.06.02.04116010	110° L 形 左 (L)	4 孔	20mm
10.06.02.04216010	110° L 形 右 (R)	4 孔	20mm
★ 10.06.02.05116010	110° L 形 左 (L)	5 孔	26mm
10.06.02.05216010	110° L 形 右 (R)	5 孔	26mm



T 形 T-plate

订货编码 Order code.	规格 Specification		
10.06.02.04019010	T 形	4 孔	20mm
10.06.02.05019010	T 形	5 孔	26mm
10.06.02.06019010	T 形	6 孔	32mm
★ 10.06.02.07019010	T 形	7 孔	38mm



T 形 T-plate

订货编码 Order code.	规格 Specification		
00.06.02.05019015	T 形	5 孔	23mm
00.06.02.06019015	T 形	6 孔	29mm
00.06.02.07019015	T 形	7 孔	35mm
★ 00.06.02.08019015	T 形	8 孔	41mm





锁定桡骨小头接骨板

Radial head locking plate

适用部位：桡骨小头

Suitable for capitulum radius

配用：Φ2.0 锁定钉，Φ2.0 皮质骨螺钉

Matching Φ2.0 locking screw, Φ2.0 cortex screw



订货编码 Order code.	规格 Specification		
10.06.02.07019000	T 形	7 孔	29mm
* 10.06.02.08019000	T 形	8 孔	35mm
10.06.02.09019000	T 形	9 孔	41mm
10.06.02.10019000	T 形	10 孔	47mm

锁定 2.4 系列接骨板

2.4 series locking plate

适用部位：指骨、掌骨、跖骨、小儿尺骨及桡骨

Suitable for phalange, metacarpal, metatarsal, pediatric ulna and radius

配用：Φ2.4 锁定钉，Φ2.4 皮质骨螺钉

Matching Φ2.4 locking screw, Φ2.4 cortex screw

直形 Straight

订货编码 Order code.	规格 Specification		
10.14.03.04011015	直形	4 孔	36mm
10.14.03.05011015	直形	5 孔	45mm
★ 10.14.03.06011015	直形	6 孔	54mm
10.14.03.08011015	直形	8 孔	72mm





90° L 形 90° L-plate

订货编码 Order code.	规格 Specification			
10.14.03.04115015	90° L 型左 (L)	4 孔	27mm	
10.14.03.04215015	90° L 型右 (R)	4 孔	27mm	
★ 10.14.03.05115015	90° L 型左 (L)	5 孔	36mm	
10.14.03.05215015	90° L 型右 (R)	5 孔	36mm	



110° L 形 110° L-plate

订货编码 Order code.	规格 Specification			
10.14.03.04116015	110° L 型左 (L)	4 孔	30mm	
10.14.03.04216015	110° L 型右 (R)	4 孔	30mm	
★ 10.14.03.05116015	110° L 型左 (L)	5 孔	39mm	
10.14.03.05216015	110° L 型右 (R)	5 孔	39mm	



T 形 T-plate

订货编码 Order code.	规格 Specification			
10.14.03.05019015	T 形	5 孔	27mm	
10.14.03.06019015	T 形	6 孔	36mm	
★ 10.14.03.07019015	T 形	7 孔	45mm	
10.14.03.08019015	T 形	8 孔	54mm	
10.14.03.10019015	T 形	10 孔	72mm	



锁定桡骨小头接骨板 Radial head locking plate



适用部位：桡骨小头

Suitable for capitulum radius

配用：Φ2.4 锁定钉，Φ2.4 皮质骨螺钉

Matching Φ2.4 locking screw, Φ2.4 cortex screw

订货编码 Order code.	规格 Specification		
10.14.03.05019020	T 形	5 孔	37mm
★ 10.14.03.06019020	T 形	6 孔	46mm
10.14.03.07019020	T 形	7 孔	55mm



锁定 3.0 系列接骨板

3.0 series locking plate

锁定鹰嘴接骨板

Olecranon locking plate

适用部位：尺骨鹰嘴

Suitable for ulna olecranon

配用：Φ3.0 皮质骨螺钉，Φ3.0 锁定钉

Matching Φ3.0 cortex screw, Φ3.0 locking screw



订货编码 Order code.	规格 Specification		
10.14.16.04102000	左 L	4 孔	88mm
10.14.16.04202000	右 R	4 孔	88mm
* 10.14.16.05102000	左 L	5 孔	103mm
10.14.16.05202000	右 R	5 孔	103mm
10.14.16.06102000	左 L	6 孔	115mm
10.14.16.06202000	右 R	6 孔	115mm
10.14.16.07102000	左 L	7 孔	127mm
10.14.16.07202000	右 R	7 孔	127mm
10.14.16.08102000	左 L	8 孔	139mm
10.14.16.08202000	右 R	8 孔	139mm

锁定掌背侧接骨板

Volar dorsal locking plate



适用部位: 桡骨远端掌背侧 Suitable for distal volar dorsal radius

配用: $\Phi 3.0$ 皮质骨螺钉, $\Phi 3.0$ 锁定钉

Matching $\Phi 3.0$ cortex screw, $\Phi 3.0$ locking screw

订货编码 Order code.	规格 Specification		
10.14.18.03102000	左 L	3 孔	51mm
10.14.18.03202000	右 R	3 孔	51mm
10.14.18.04102000	左 L	4 孔	63mm
10.14.18.04202000	右 R	4 孔	63mm
* 10.14.18.05102000	左 L	5 孔	75mm
10.14.18.05202000	右 R	5 孔	75mm
10.14.18.06102000	左 L	6 孔	87mm
10.14.18.06202000	右 R	6 孔	87mm



锁定掌侧接骨板 Volar locking plate

适用部位: 桡骨远端掌侧
Suitable for distal volar radius

斜头型 Oblique head type

订货编码 Order code.	规格 Specification		
10.14.20.03104000	左 L	3 孔	57mm
10.14.20.03204000	右 R	3 孔	57mm
10.14.20.04104000	左 L	4 孔	69mm
10.14.20.04204000	右 R	4 孔	69mm
★ 10.14.20.05104000	左 L	5 孔	81mm
10.14.20.05204000	右 R	5 孔	81mm
10.14.20.06104000	左 L	6 孔	93mm
10.14.20.06204000	右 R	6 孔	93mm
10.14.20.08104000	左 L	8 孔	117mm
10.14.20.08204000	右 R	8 孔	117mm



远端型 Distal type

订货编码 Order code.	规格 Specification		
10.11.21.03102077	左 L	3 孔	47mm
10.11.21.03202077	右 R	3 孔	47mm
10.11.21.04102077	左 L	4 孔	58mm
10.11.21.04202077	右 R	4 孔	58mm
★ 10.11.21.05102077	左 L	5 孔	69mm
10.11.21.05202077	右 R	5 孔	69mm
10.11.21.06102077	左 L	6 孔	80mm
10.11.21.06202077	右 R	6 孔	80mm



配用: $\Phi 3.0$ 皮质骨螺钉, $\Phi 3.0$ 锁定钉

Matching $\Phi 3.0$ cortical screw, $\Phi 3.0$ locking screw

斜头型 (小号)

Oblique head type (small)

订货编码 Order code.	规格 Specification		
★ 10.14.20.03105011	左 L	3 孔	64mm
10.14.20.03205011	右 R	3 孔	64mm
10.14.20.04105011	左 L	4 孔	79mm
10.14.20.04205011	右 R	4 孔	79mm
10.14.20.05105011	左 L	5 孔	91mm
10.14.20.05205011	右 R	5 孔	91mm
10.14.20.06105011	左 L	6 孔	103mm
10.14.20.06205011	右 R	6 孔	103mm



斜头型 (大号)

Oblique head type (large)

订货编码 Order code.	规格 Specification		
★ 10.14.20.03105021	左 L	3 孔	64mm
10.14.20.03205021	右 R	3 孔	64mm
10.14.20.04105021	左 L	4 孔	79mm
10.14.20.04205021	右 R	4 孔	79mm
10.14.20.05105021	左 L	5 孔	91mm
10.14.20.05205021	右 R	5 孔	91mm
10.14.20.06105021	左 L	6 孔	103mm
10.14.20.06205021	右 R	6 孔	103mm





梅花型 (小号) Torx type (small)

订货编码 Order code.	规格 Specification		
10.14.20.03105112	左 L	3 孔	64mm
10.14.20.03205112	右 R	3 孔	64mm
★ 10.14.20.04105112	左 L	4 孔	79mm
10.14.20.04205112	右 R	4 孔	79mm
10.14.20.06105112	左 L	6 孔	103mm
10.14.20.06205112	右 R	6 孔	103mm



梅花型 (大号) Torx type (large)

订货编码 Order code.	规格 Specification		
10.14.20.03105122	左 L	3 孔	64mm
10.14.20.03205122	右 R	3 孔	64mm
★ 10.14.20.04105122	左 L	4 孔	79mm
10.14.20.04205122	右 R	4 孔	79mm
10.14.20.06105122	左 L	6 孔	103mm
10.14.20.06205122	右 R	6 孔	103mm



锁定 3.0 系列接骨板

3.0 series locking plate

适用部位: 尺骨、桡骨

Suitable for ulna and radius

配用: Φ 3.0 皮质骨螺钉, Φ 3.0 锁定钉

Matching Φ 3.0 cortical screw, Φ 3.0 locking screw

90° L 形 90° L-plate

订货编码 Order code.	规格 Specification			
10.14.06.03115001	90° L 形 (L)	2-3 孔	51mm	
10.14.06.03215001	90° L 形 (R)	2-3 孔	51mm	
10.14.06.04115001	90° L 形 (L)	2-4 孔	63mm	
10.14.06.04215001	90° L 形 (R)	2-4 孔	63mm	
10.14.06.03115002	90° L 形 (L)	3-3 孔	51mm	
10.14.06.03215002	90° L 形 (R)	3-3 孔	51mm	
★ 10.14.06.04115002	90° L 形 (L)	3-4 孔	63mm	
10.14.06.04215002	90° L 形 (R)	3-4 孔	63mm	



110° L 形 110° L-plate

订货编码 Order code.	规格 Specification			
10.14.06.03116001	110° L 形 (L)	2-3 孔	54mm	
10.14.06.03216001	110° L 形 (R)	2-3 孔	54mm	
10.14.06.04116001	110° L 形 (L)	2-4 孔	66mm	
10.14.06.04216001	110° L 形 (R)	2-4 孔	66mm	
10.14.06.03116002	110° L 形 (L)	3-3 孔	57mm	
10.14.06.03216002	110° L 形 (R)	3-3 孔	57mm	
★ 10.14.06.04116002	110° L 形 (L)	3-4 孔	69mm	
10.14.06.04216002	110° L 形 (R)	3-4 孔	69mm	





T 形 T-plate

订货编码 Order code.	规格 Specification		
10.14.06.03019001	T 形	2-3 孔	51mm
10.14.06.04019001	T 形	2-4 孔	63mm
10.14.06.05019001	T 形	2-5 孔	75mm
10.14.06.06019001	T 形	2-6 孔	87mm
10.14.06.03019002	T 形	3-3 孔	52mm
★ 10.14.06.04019002	T 形	3-4 孔	64mm
10.14.06.05019002	T 形	3-5 孔	76mm
10.14.06.06019002	T 形	3-6 孔	88mm



桡骨远端外侧 Distal lateral radius

订货编码 Order code.	规格 Specification		
10.11.06.05011000	直形	5 孔	48mm
★ 10.11.06.06011000	直形	6 孔	57mm

尺桡骨远端 Distal ulna and radius

订货编码 Order code.	规格 Specification			宽度 width
10.14.06.04011025	直形	4 孔	47mm	8mm
★ 10.14.06.06011025	直形	6 孔	71mm	
10.14.06.08011025	直形	8 孔	95mm	
10.14.06.10011025	直形	10 孔	119mm	
10.14.06.12011025	直形	12 孔	143mm	



尺桡骨远端 Distal ulna and radius

订货编码 Order code.	规格 Specification			宽度 width
10.14.06.06011125	直形	6 孔	77mm	9mm
★ 10.14.06.07011125	直形	7 孔	89mm	
10.14.06.08011125	直形	8 孔	101mm	
10.14.06.10011125	直形	10 孔	125mm	
10.14.06.12011125	直形	12 孔	149mm	



锁定 1/3 管型接骨板

One-third tubular locking plate

适用部位：腓骨

Suitable for fibula

配用：

Φ3.0 皮质骨螺钉

Φ3.0 锁定钉

Matching:

Φ3.0 cortex screw

Φ3.0 locking screw

订货编码 Order code.	规格 Specification	
10.11.17.05000000	5 孔	61mm
★ 10.11.17.06000000	6 孔	73mm
10.11.17.07000000	7 孔	85mm
10.11.17.08000000	8 孔	97mm
10.11.17.09000000	9 孔	109mm
10.11.17.10000000	10 孔	121mm





锁定腓骨远端接骨板

Distal fibular locking plate

适用部位：腓骨骨端

Suitable for capitulum fibula

配用：

Φ3.0 皮质骨螺钉

Φ3.0 锁定钉

Matching:

Φ3.0 cortex screw

Φ3.0 locking screw



I 型 - 前外侧 Anterior lateral

订货编码 Order code.	规格 Specification		
10.14.35.04101000	左 L	4 孔	85mm
10.14.35.04201000	右 R	4 孔	85mm
★ 10.14.35.05101000	左 L	5 孔	98mm
10.14.35.05201000	右 R	5 孔	98mm
10.14.35.06101000	左 L	6 孔	111mm
10.14.35.06201000	右 R	6 孔	111mm
10.14.35.07101000	左 L	7 孔	124mm
10.14.35.07201000	右 R	7 孔	124mm
10.14.35.08101000	左 L	8 孔	137mm
10.14.35.08201000	右 R	8 孔	137mm

II型 - 后外侧 Posterior lateral

订货编码 Order code.	规格 Specification		
10.14.35.04102000	左 L	4 孔	83mm
10.14.35.04202000	右 R	4 孔	83mm
* 10.14.35.05102000	左 L	5 孔	95mm
10.14.35.05202000	右 R	5 孔	95mm
10.14.35.06102000	左 L	6 孔	107mm
10.14.35.06202000	右 R	6 孔	107mm
10.14.35.08102000	左 L	8 孔	131mm
10.14.35.08202000	右 R	8 孔	131mm



III型 - 外侧 Lateral

订货编码 Order code.	规格 Specification	
10.14.35.04003000	4 孔	79mm
* 10.14.35.05003000	5 孔	91mm
10.14.35.06003000	6 孔	103mm
10.14.35.08003000	8 孔	127mm





锁定跟骨接骨板 Calcaneal locking plate

适用部位：跟骨

Suitable for calcaneus

配用：

- Φ4.0 松质骨螺钉
- Φ3.0 锁定钉
- Φ3.0 皮质骨螺钉



Matching:

- Φ4.0 cancellous screw
- Φ3.0 locking screw
- Φ3.0 cortex screw

I 型 - 爪型 claw type

订货编码 Order code.	规格 Specification		
★ 10.11.36.12129260	左 L	12 孔	60mm
10.11.36.12229260	右 R	12 孔	60mm
10.11.36.14129269	左 L	14 孔	69mm
10.11.36.14229269	右 R	14 孔	69mm

锁定跟骨接骨板

Calcaneal locking plate



II型 - 环抱型 loop type

订货编码 Order code.	规格 Specification		
10.11.36.10129200	左 L	10 孔	48mm
10.11.36.10229200	右 R	10 孔	48mm
★ 10.11.36.12129200	左 L	12 孔	58mm
10.11.36.12229200	右 R	12 孔	58mm
10.11.36.14129200	左 L	14 孔	65mm
10.11.36.14229200	右 R	14 孔	65mm



平板型 Flat type

订货编码 Order code.	规格 Specification		
10.11.36.12102260	左	12 孔	60mm
10.11.36.12202260	右	12 孔	60mm
★ 10.11.36.12102269	左	12 孔	69mm
10.11.36.12202269	右	12 孔	69mm



锁定 4.0 系列接骨板

4.0 series locking plate

锁定 4.0 直形接骨板

4.0 straight locking plate

适用部位：尺骨、桡骨、肱骨、小儿胫骨或股骨

Suitable for ulna, radius, humerus, pediatric tibia or femur

配用：

Φ3.5 皮质骨螺钉

Φ4.0 锁定钉

Matching:

Φ3.5 cortex screw

Φ4.0 locking screw



宽型 Broad type

订货编码 Order code.	规格 Specification		
10.14.07.06011000	直形	6 孔	87mm
10.14.07.07011000	直形	7 孔	100mm
★ 10.14.07.08011000	直形	8 孔	113mm
10.14.07.09011000	直形	9 孔	126mm
10.14.07.10011000	直形	10 孔	139mm
10.14.07.12011000	直形	12 孔	165mm



适用部位：尺骨、桡骨、肱骨、小儿胫骨或股骨

Suitable for ulna, radius, humerus, pediatric tibia or femur

配用：

Φ3.5 皮质骨螺钉

Φ4.0 锁定钉

Matching:

Φ3.5 cortex screw

Φ4.0 locking screw



窄型 Narrow type

订货编码 Order code.	规格 Specification		
10.14.07.06011001	直形	6 孔	87mm
10.14.07.07011001	直形	7 孔	100mm
* 10.14.07.08011001	直形	8 孔	113mm
10.14.07.09011001	直形	9 孔	126mm
10.14.07.10011001	直形	10 孔	139mm
10.14.07.12011001	直形	12 孔	165mm



锁定骨盆重建接骨板

Pelvic reconstruction locking plate

适用部位：髌臼、骨盆

Suitable for acetabulum, pelvic

重建直形 Straight reconstruction



订货编码 Order code.	规格 Specification		
10.11.07.06030000	重建直形	6 孔	72mm
10.11.07.07030000	重建直形	7 孔	84mm
* 10.11.07.08030000	重建直形	8 孔	96mm
10.11.07.09030000	重建直形	9 孔	108mm
10.11.07.10030000	重建直形	10 孔	120mm
10.11.07.12030000	重建直形	12 孔	144mm



重建弧形 Arc reconstruction

订货编码 Order code.	规格 Specification		
* 10.11.07.06031000	重建弧形	6 孔	69mm
10.11.07.08031000	重建弧形	8 孔	89mm
10.11.07.10031000	重建弧形	10 孔	107mm
10.11.07.12031000	重建弧形	12 孔	122mm
10.11.07.14031000	重建弧形	14 孔	133mm
10.11.07.16031000	重建弧形	16 孔	139mm

配用：

Φ4.0 松质骨螺钉

Φ4.0 锁定钉

Matching:

Φ4.0 cancellous screw

Φ4.0 locking screw

重建直形 II Straight reconstruction II


订货编码 Order code.	规格 Specification		
10.11.07.06030002	重建直形	6 孔	72mm
10.11.07.07030002	重建直形	7 孔	84mm
* 10.11.07.08030002	重建直形	8 孔	96mm
10.11.07.09030002	重建直形	9 孔	108mm
10.11.07.10030002	重建直形	10 孔	120mm
10.11.07.12030002	重建直形	12 孔	144mm

重建弧形 II Arc reconstruction II


订货编码 Order code.	规格 Specification		
10.11.07.06031002	重建弧形	6 孔	71mm
* 10.11.07.08031002	重建弧形	8 孔	92mm
10.11.07.10031002	重建弧形	10 孔	110mm
10.11.07.12031002	重建弧形	12 孔	124mm
10.11.07.14031002	重建弧形	14 孔	134mm
10.11.07.16031002	重建弧形	16 孔	140mm



锁定锁骨重建型接骨板（中远端）

Clavicle reconstruction locking plate (middle & Distal)

适用部位： 锁骨中远端

Suitable for middle and distal clavicle

配用：

Φ3.5 皮质骨螺钉

Φ4.0 松质骨螺钉

Φ4.0 锁定钉

Matching:

Φ3.5 cortex screw

Φ4.0 cancellous screw

Φ4.0 locking screw



订货编码 Order code.	规格 Specification		
10.14.10.06128022	中段左 L	6 孔	86mm
10.14.10.06228022	中段右 R	6 孔	86mm
10.14.10.07128022	中段左 L	7 孔	100mm
10.14.10.07228022	中段右 R	7 孔	100mm
10.14.10.08128022	中段左 L	8 孔	112mm
10.14.10.08228022	中段右 R	8 孔	112mm
10.14.10.10128022	中段左 L	10 孔	135mm
10.14.10.10228022	中段右 R	10 孔	135mm
★ 10.14.10.06128021	远端左 L	6 孔	83mm
10.14.10.06228021	远端右 R	6 孔	83mm
10.14.10.07128021	远端左 L	7 孔	96mm
10.14.10.07228021	远端右 R	7 孔	96mm
10.14.10.08128021	远端左 L	8 孔	109mm
10.14.10.08228021	远端右 R	8 孔	109mm
10.14.10.10128021	远端左 L	10 孔	134mm
10.14.10.10228021	远端右 R	10 孔	134mm

锁定锁骨重建型接骨板（远端）

Clavicle reconstruction locking plate (Distal)



适用部位：锁骨远端

Suitable for distal clavicle

配用：

Φ3.0 皮质骨螺钉
 Φ3.0 锁定钉
 Φ3.5 皮质骨螺钉
 Φ4.0 松质骨螺钉
 Φ4.0 锁定钉

Matching:

Φ3.0 cortex screw
 Φ3.0 locking screw
 Φ3.5 cortex screw
 Φ4.0 cancellous screw
 Φ4.0 locking screw

订货编码 Order code.	规格 Specification		
10.14.10.04128001	远端左 L	4 孔	75mm
10.14.10.04228001	远端右 R	4 孔	75mm
★ 10.14.10.06128001	远端左 L	6 孔	102mm
10.14.10.06228001	远端右 R	6 孔	102mm
10.14.10.07128001	远端左 L	7 孔	115mm
10.14.10.07228001	远端右 R	7 孔	115mm



锁定锁骨重建型接骨板（远端）

Clavicle reconstruction locking plate (Distal)



适用部位：锁骨远端

Suitable for distal clavicle

配用：

- Φ3.0 皮质骨螺钉
- Φ3.0 锁定钉
- Φ3.5 皮质骨螺钉
- Φ4.0 松质骨螺钉
- Φ4.0 锁定钉

Matching:

- Φ3.0 cortex screw
- Φ3.0 locking screw
- Φ3.5 cortex screw
- Φ4.0 cancellous screw
- Φ4.0 locking screw

冠状解剖型 Corona anatomical

订货编码 Order code.	规格 Specification		
10.11.10.04128001	远端左 L	4 孔	73mm
10.11.10.04228001	远端右 R	4 孔	73mm
10.11.10.06128001	远端左 L	6 孔	95mm
★ 10.11.10.06228001	远端右 R	6 孔	95mm
10.11.10.07128001	远端左 L	7 孔	106mm
10.11.10.07228001	远端右 R	7 孔	106mm
10.11.10.08128001	远端左 L	8 孔	115mm
10.11.10.08228001	远端右 R	8 孔	115mm

锁定锁骨钩接骨板

Clavicle hook locking plate



钩高 15.5mm Hook height

订货编码 Order code.	规格 Specification		
10.14.11.05100100	左 L	5 孔	76mm
10.14.11.05200100	右 R	5 孔	76mm
★ 10.14.11.06100100	左 L	6 孔	89mm
10.14.11.06200100	右 R	6 孔	89mm
10.14.11.07100100	左 L	7 孔	102mm
10.14.11.07200100	右 R	7 孔	102mm
10.14.11.08100100	左 L	8 孔	115mm
10.14.11.08200100	右 R	8 孔	115mm

适用部位：锁骨肩峰端

Suitable for acromial end clavicle

配用：

- Φ3.5 皮质骨螺钉
- Φ4.0 松质骨螺钉
- Φ4.0 锁定钉

Matching:

- Φ3.5 cortex screw
- Φ4.0 cancellous screw
- Φ4.0 locking screw

钩高 18mm Hook height

订货编码 Order code.	规格 Specification		
10.14.11.05100118	左 L	5 孔	76mm
10.14.11.05200118	右 R	5 孔	76mm
10.14.11.06100118	左 L	6 孔	89mm
10.14.11.06200118	右 R	6 孔	89mm
10.14.11.07100118	左 L	7 孔	102mm
10.14.11.07200118	右 R	7 孔	102mm
10.14.11.08100118	左 L	8 孔	115mm
10.14.11.08200118	右 R	8 孔	115mm



锁定肱骨颈接骨板

Neck of humerus locking plate

适用部位: 肱骨近端

Suitable for proximal humerus

配用: $\Phi 3.5$ 皮质骨螺钉, $\Phi 4.0$ 松质骨螺钉, $\Phi 4.0$ 锁定钉

Matching: $\Phi 3.5$ cortex screw, $\Phi 4.0$ cancellous screw, $\Phi 4.0$ locking screw



订货编码 Order code.	规格 Specification	
10.14.12.03001300	3 孔	89mm
10.14.12.04001300	4 孔	102mm
* 10.14.12.05001300	5 孔	115mm
10.14.12.06001300	6 孔	128mm
10.14.12.07001300	7 孔	141mm
10.14.12.08001300	8 孔	154mm
10.14.12.10001300	10 孔	180mm
10.14.12.12001300	12 孔	206mm

万向锁定肱骨颈接骨板

Multi-axial neck of humerus locking plate

适用部位：肱骨近端

Suitable for proximal humerus

配用：Φ3.5 皮质骨螺钉，Φ4.0 松质骨螺钉，Φ4.0 锁定钉

Matching：Φ3.5 cortex screw，Φ4.0 cancellous screw，Φ4.0 locking screw

订货编码 Order code.	规格 Specification	
10.14.13.03001000	3 孔	89mm
10.14.13.04001000	4 孔	102mm
* 10.14.13.05001000	5 孔	115mm
10.14.13.06001000	6 孔	128mm
10.14.13.07001000	7 孔	141mm
10.14.13.08001000	8 孔	154mm
10.14.13.10001000	10 孔	180mm
10.14.13.12001000	12 孔	206mm





锁定肱骨下段Y形接骨板（前侧） Anterior humeral Y-shape locking plate

适用部位： 肱骨下段前侧

Suitable for middle lower anterior humerus

配用：

- Φ3.5 皮质骨螺钉
- Φ4.0 松质骨螺钉
- Φ4.0 锁定钉

Matching:

- Φ3.5 cortex screw
- Φ4.0 cancellous screw
- Φ4.0 locking screw

订货编码 Order code.	规格 Specification	
10.11.07.06020300	6 孔	136mm
★ 10.11.07.07020300	7 孔	152mm
10.11.07.08020300	8 孔	168mm
10.11.07.09020300	9 孔	184mm
10.11.07.10020300	10 孔	200mm
10.11.07.12020300	12 孔	232mm



锁定肱骨下段 Y 形接骨板 (后侧)

Posterior humeral Y-shape locking plate

适用部位: 肱骨中下段后侧

Suitable for middle lower posterior humerus

配用:

- Φ3.5 皮质骨螺钉
- Φ4.0 松质骨螺钉
- Φ4.0 锁定钉

Matching:

- Φ3.5 cortex screw
- Φ4.0 cancellous screw
- Φ4.0 locking screw

订货编码 Order code.	规格 Specification		
★ 10.11.07.07120300	左 L	7 孔	150mm
10.11.07.07220300	右 R	7 孔	150mm
10.11.07.09120300	左 L	9 孔	182mm
10.11.07.09220300	右 R	9 孔	182mm
10.11.07.11120300	左 L	11 孔	214mm
10.11.07.11220300	右 R	11 孔	214mm





锁定肱骨远端亚髁接骨板

Distal humeral sub-condyle locking plate

适用部位： 肱骨中下段外侧

Suitable for distal humeral fracture

配用：

Φ3.5 皮质骨螺钉

Φ4.0 松质骨螺钉

Φ4.0 锁定钉

Matching:

Φ3.5 cortex screw

Φ4.0 cancellous screw

Φ4.0 locking screw



订货编码 Order code.	规格 Specification		
10.14.07.04111000	左 L	4 孔	104mm
10.14.07.04211000	右 R	4 孔	104mm
10.14.07.06111000	左 L	6 孔	139mm
10.14.07.06211000	右 R	6 孔	139mm
* 10.14.07.07111000	左 L	7 孔	155mm
10.14.07.07211000	右 R	7 孔	155mm
10.14.07.08111000	左 L	8 孔	174mm
10.14.07.08211000	右 R	8 孔	174mm
10.14.07.09111000	左 L	9 孔	190mm
10.14.07.09211000	右 R	9 孔	190mm

锁定肱骨远端内侧接骨板

Distal medial humerus locking plate

适用部位：肱骨远端内侧

Suitable for distal medial humerus

配用：

Φ3.0 皮质骨螺钉
 Φ3.0 锁定钉
 Φ3.5 皮质骨螺钉
 Φ4.0 松质骨螺钉
 Φ4.0 锁定钉

Matching:

Φ3.0 cortex screw
 Φ3.0 locking screw
 Φ3.5 cortex screw
 Φ4.0 cancellous screw
 Φ4.0 locking screw

订货编码 Order code.	规格 Specification		
10.14.15.09100000	左 L	9 孔	103mm
10.14.15.09200000	右 R	9 孔	103mm
* 10.14.15.11100000	左 L	11 孔	129mm
10.14.15.11200000	右 R	11 孔	129mm





锁定肱骨远端外侧接骨板

Distal lateral humerus locking plate

适用部位： 肱骨远端外侧

Suitable for distal lateral humerus

配用：

- Φ3.0 皮质骨螺钉
- Φ3.0 锁定钉
- Φ3.5 皮质骨螺钉
- Φ4.0 松质骨螺钉
- Φ4.0 锁定钉


Matching:

- Φ3.0 cortex screw
- Φ3.0 locking screw
- Φ3.5 cortex screw
- Φ4.0 cancellous screw
- Φ4.0 locking screw

I 型 - 外侧支撑型 Lateral support type

订货编码 Order code.	规格 Specification		
10.14.14.07100000	左 L	7 孔	123mm
10.14.14.07200000	右 R	7 孔	123mm
* 10.14.14.09100000	左 L	9 孔	149mm
10.14.14.09200000	右 R	9 孔	149mm
10.14.14.11100000	左 L	11 孔	175mm
10.14.14.11200000	右 R	11 孔	175mm

订货编码 Order code.	规格 Specification		
99.10.19074.00	左 L	7 孔	72mm
99.10.19077.00	右 R	7 孔	72mm
99.10.19075.00	左 L	9 孔	98mm
99.10.19078.00	右 R	9 孔	98mm
99.10.19076.00	左 L	11 孔	124mm
99.10.19079.00	右 R	11 孔	124mm



锁定肱骨远端外侧接骨板

Distal lateral humerus locking plate

适用部位： 肱骨远端外侧

Suitable for distal lateral humerus

配用：

Φ3.0 皮质骨螺钉

Φ3.0 锁定钉

Φ3.5 皮质骨螺钉

Φ4.0 松质骨螺钉

Φ4.0 锁定钉

Matching:

Φ3.0 cortex screw

Φ3.0 locking screw

Φ3.5 cortex screw

Φ4.0 cancellous screw

Φ4.0 locking screw

II 型

订货编码 Order code.	规格 Specification		
10.14.14.07102000	左 L	7 孔	123mm
10.14.14.07202000	右 R	7 孔	123mm
★ 10.14.14.09102000	左 L	9 孔	149mm
10.14.14.09202000	右 R	9 孔	149mm
10.14.14.11102000	左 L	11 孔	175mm
10.14.14.11202000	右 R	11 孔	175mm

订货编码 Order code.	规格 Specification		
99.10.19080.00	左 L	7 孔	72mm
99.10.19083.00	右 R	7 孔	72mm
99.10.19081.00	左 L	9 孔	98mm
99.10.19084.00	右 R	9 孔	98mm
99.10.19082.00	左 L	11 孔	124mm
99.10.19085.00	右 R	11 孔	124mm





锁定胫骨平台外侧接骨板

Lateral tibia plateau locking plate

适用部位: 胫骨平台外侧 Suitable for lateral tibia plateau

配用: $\Phi 3.5$ 皮质骨螺钉, $\Phi 4.0$ 松质骨螺钉, $\Phi 4.0$ 锁定钉
Matching $\Phi 3.5$ cortex screw, $\Phi 4.0$ cancellous screw,
 $\Phi 4.0$ locking screw



订货编码 Order code.	规格 Specification		
10.14.30.03103000	左 L	3 孔	86mm
10.14.30.03203000	右 R	3 孔	86mm
10.14.30.05103000	左 L	5 孔	118mm
10.14.30.05203000	右 R	5 孔	118mm
★ 10.14.30.07103000	左 L	7 孔	150mm
10.14.30.07203000	右 R	7 孔	150mm
10.14.30.09103000	左 L	9 孔	182mm
10.14.30.09203000	右 R	9 孔	182mm
10.14.30.11103000	左 L	11 孔	214mm
10.14.30.11203000	右 R	11 孔	214mm
10.14.30.13103000	左 L	13 孔	246mm
10.14.30.13203000	右 R	13 孔	246mm
10.14.30.15103000	左 L	15 孔	278mm
10.14.30.15203000	右 R	15 孔	278mm

万向锁定胫骨平台外侧接骨板

Multi-axial lateral tibia plateau locking plate

适用部位: 胫骨平台外侧 Suitable for lateral tibia plateau

配用: $\Phi 3.5$ 皮质骨螺钉, $\Phi 4.0$ 松质骨螺钉, $\Phi 4.0$ 锁定钉

Matching $\Phi 3.5$ cortex screw, $\Phi 4.0$ cancellous screw, $\Phi 4.0$ locking screw



订货编码 Order code.	规格 Specification			
10.14.31.03103000	左 L	3 孔	86mm	
10.14.31.03203000	右 R	3 孔	86mm	
10.14.31.05103000	左 L	5 孔	118mm	
10.14.31.05203000	右 R	5 孔	118mm	
★ 10.14.31.07103000	左 L	7 孔	150mm	
10.14.31.07203000	右 R	7 孔	150mm	
10.14.31.09103000	左 L	9 孔	182mm	
10.14.31.09203000	右 R	9 孔	182mm	
10.14.31.11103000	左 L	11 孔	214mm	
10.14.31.11203000	右 R	11 孔	214mm	
10.14.31.13103000	左 L	13 孔	246mm	
10.14.31.13203000	右 R	13 孔	246mm	
10.14.31.15103000	左 L	15 孔	278mm	
10.14.31.15203000	右 R	15 孔	278mm	



锁定胫骨平台内侧接骨板 Medial tibia plateau locking plate

适用部位: 胫骨平台内侧 Suitable for medial tibia plateau

配用: $\Phi 3.5$ 皮质骨螺钉, $\Phi 4.0$ 松质骨螺钉, $\Phi 4.0$ 锁定钉

Matching: $\Phi 3.5$ cortex screw,
 $\Phi 4.0$ cancellous screw, $\Phi 4.0$ locking screw



订货编码 Order code.	规格 Specification		
10.14.28.03103000	左 L	3 孔	83mm
10.14.28.03203000	右 R	3 孔	83mm
10.14.28.05103000	左 L	5 孔	115mm
10.14.28.05203000	右 R	5 孔	115mm
★ 10.14.28.07103000	左 L	7 孔	147mm
10.14.28.07203000	右 R	7 孔	147mm
10.14.28.09103000	左 L	9 孔	179mm
10.14.28.09203000	右 R	9 孔	179mm
10.14.28.11103000	左 L	11 孔	211mm
10.14.28.11203000	右 R	11 孔	211mm
10.14.28.13103000	左 L	13 孔	243mm
10.14.28.13203000	右 R	13 孔	243mm
10.14.28.15103000	左 L	15 孔	275mm
10.14.28.15203000	右 R	15 孔	275mm

万向锁定胫骨平台内侧接骨板

Multi-axial medial tibia plateau locking plate

适用部位： 胫骨平台内侧 Suitable for medial tibia plateau

配用： $\Phi 3.5$ 皮质骨螺钉, $\Phi 4.0$ 松质骨螺钉, $\Phi 4.0$ 锁定钉

Matching: $\Phi 3.5$ cortex screw,
 $\Phi 4.0$ cancellous screw, $\Phi 4.0$ locking screw



订货编码 Order code.	规格 Specification		
10.14.29.03103000	左 L	3 孔	83mm
10.14.29.03203000	右 R	3 孔	83mm
10.14.29.05103000	左 L	5 孔	115mm
10.14.29.05203000	右 R	5 孔	115mm
★ 10.14.29.07103000	左 L	7 孔	147mm
10.14.29.07203000	右 R	7 孔	147mm
10.14.29.09103000	左 L	9 孔	179mm
10.14.29.09203000	右 R	9 孔	179mm
10.14.29.11103000	左 L	11 孔	211mm
10.14.29.11203000	右 R	11 孔	211mm
10.14.29.13103000	左 L	13 孔	243mm
10.14.29.13203000	右 R	13 孔	243mm
10.14.29.15103000	左 L	15 孔	275mm
10.14.29.15203000	右 R	15 孔	275mm



锁定胫骨平台正后侧接骨板 Posterior tibia plateau locking plate

适用部位： 胫骨平台正后侧

Suitable for: Posterior tibia plateau

配用：

Φ3.5 皮质骨螺钉

Φ4.0 松质骨螺钉

Φ4.0 锁定钉

Matching:

Φ3.5 cortex screw

Φ4.0 cancellous screw

Φ4.0 locking screw



I 型

订货编码 Order code.	规格 Specification			
10.11.07.03101000	左 L	3 孔	77mm	
10.11.07.03201000	右 R	3 孔	77mm	
10.11.07.04101000	左 L	4 孔	89mm	
10.11.07.04201000	右 R	4 孔	89mm	
* 10.11.07.05101000	左 L	5 孔	101mm	
10.11.07.05201000	右 R	5 孔	101mm	
10.11.07.06101000	左 L	6 孔	113mm	
10.11.07.06201000	右 R	6 孔	113mm	
10.11.07.07101000	左 L	7 孔	125mm	
10.11.07.07201000	右 R	7 孔	125mm	

锁定胫骨平台正后侧接骨板

Posterior tibia plateau locking plate

适用部位：胫骨平台正后侧

Suitable for: Posterior tibia plateau

配用：

Φ3.5 皮质骨螺钉

Φ4.0 松质骨螺钉

Φ4.0 锁定钉

Matching:

Φ3.5 cortex screw

Φ4.0 cancellous screw

Φ4.0 locking screw



II型

订货编码 Order code.	规格 Specification		
10.11.07.03102000	左 L	3 孔	67mm
10.11.07.03202000	右 R	3 孔	67mm
10.11.07.04102000	左 L	4 孔	79mm
10.11.07.04202000	右 R	4 孔	79mm
★ 10.11.07.05102000	左 L	5 孔	91mm
10.11.07.05202000	右 R	5 孔	91mm
10.11.07.06102000	左 L	6 孔	103mm
10.11.07.06202000	右 R	6 孔	103mm
10.11.07.07102000	左 L	7 孔	115mm
10.11.07.07202000	右 R	7 孔	115mm



锁定胫骨平台后内侧接骨板

Posteromedial tibia plateau locking plate

适用部位：胫骨平台后内侧

Suitable for: Posteromedial tibia plateau

配用：

Φ3.5 皮质骨螺钉

Φ4.0 松质骨螺钉

Φ4.0 锁定钉

Matching:

Φ3.5 cortex screw

Φ4.0 cancellous screw

Φ4.0 locking screw



订货编码 Order code.	规格 Specification	
10.14.28.03000000	3 孔	105mm
★ 10.14.28.05000000	5 孔	131mm
10.14.28.07000000	7 孔	157mm
10.14.28.09000000	9 孔	185mm

锁定胫骨远端后外侧接骨板

Distal posterolateral tibia locking plate

适用部位： 胫骨远端后外侧

Suitable for posterolateral distal tibia

配用：

Φ3.5 皮质骨螺钉

Φ4.0 松质骨螺钉

Φ4.0 锁定钉



Matching:

Φ3.5 cortex screw

Φ4.0 cancellous screw

Φ4.0 locking screw

订货编码 Order code.	规格 Specification		
★ 10.11.07.03120000	左 L	3 孔	62mm
10.11.07.03220000	右 R	3 孔	62mm
10.11.07.05120000	左 L	5 孔	86mm
10.11.07.05220000	右 R	5 孔	86mm



锁定胫骨远端外侧 L 型接骨板

Distal lateral tibia L-shaped locking plate

适用部位： 胫骨远端外侧

Suitable for distal lateral tibia

配用：

Φ3.5 皮质骨螺钉
Φ4.0 松质骨螺钉
Φ4.0 锁定钉

Matching

Φ3.5 cortex screw
Φ4.0 cancellous screw
Φ4.0 locking screw

订货编码 Order code.	规格 Specification		
10.14.33.05103000	左 L	5 孔	103mm
10.14.33.05203000	右 R	5 孔	103mm
* 10.14.33.07103000	左 L	7 孔	135mm
10.14.33.07203000	右 R	7 孔	135mm
10.14.33.09103000	左 L	9 孔	167mm
10.14.33.09203000	右 R	9 孔	167mm
10.14.33.11103000	左 L	11 孔	199mm
10.14.33.11203000	右 R	11 孔	199mm
10.14.33.13103000	左 L	13 孔	231mm
10.14.33.13203000	右 R	13 孔	231mm
10.14.33.15103000	左 L	15 孔	263mm
10.14.33.15203000	右 R	15 孔	263mm



锁定胫骨远端内侧接骨板

Distal medial tibia locking plate

适用部位： 胫骨远端内侧

Suitable for distal medial tibia

配用：

- Φ3.5 皮质骨螺钉
- Φ4.0 松质骨螺钉
- Φ4.0 锁定钉

Matching

- Φ3.5 cortex screw
- Φ4.0 cancellous screw
- Φ4.0 locking screw

订货编码 Order code.	规格 Specification		
10.14.32.05103000	左 L	5 孔	116mm
10.14.32.05203000	右 R	5 孔	116mm
★ 10.14.32.07103000	左 L	7 孔	148mm
10.14.32.07203000	右 R	7 孔	148mm
10.14.32.09103000	左 L	9 孔	180mm
10.14.32.09203000	右 R	9 孔	180mm
10.14.32.11103000	左 L	11 孔	212mm
10.14.32.11203000	右 R	11 孔	212mm
10.14.32.13103000	左 L	13 孔	244mm
10.14.32.13203000	右 R	13 孔	244mm
10.14.32.15103000	左 L	15 孔	276mm
10.14.32.15203000	右 R	15 孔	276mm





锁定 5.0 系列接骨板

5.0 series locking plate

锁定 5.0 窄型接骨板

5.0 straight narrow locking plate

适用部位: 肱骨、胫骨、小儿股骨

Suitable for humerus, tibia, pediatric femur

配用:

Φ4.5 皮质骨螺钉

Φ5.0 锁定钉

Matching

Φ4.5 cortex screw

Φ5.0 locking screw

订货编码 Order code.	规格 Specification		
10.14.08.08011300	直形	8 孔	145mm
10.14.08.09011300	直形	9 孔	161mm
10.14.08.10011300	直形	10 孔	177mm
* 10.14.08.12011300	直形	12 孔	209mm
10.14.08.14011300	直形	14 孔	241mm



锁定 5.0 宽型接骨板

5.0 straight broad locking plate

适用部位：胫骨、股骨

Suitable for tibia, femur

配用：

Φ4.5 皮质骨螺钉

Φ5.0 锁定钉

Matching

Φ4.5 cortex screw

Φ5.0 locking screw

解剖型 Anatomical

订货编码 Order code.	规格 Specification		
10.14.09.09011301	直形	9 孔	195mm
10.14.09.10011301	直形	10 孔	213mm
★ 10.14.09.12011301	直形	12 孔	249mm
10.14.09.14011301	直形	14 孔	284mm
10.14.09.16011301	直形	16 孔	320mm





万向锁定股骨颈接骨板 I 型

Multi-axial neck of femur locking plate I type

适用部位：股骨粗隆骨折

Suitable for femoral trochanter fracture

配用：

Matching

Φ6.5 空心接骨螺钉

Φ6.5 cannulated screw

Φ6.5 空心锁定钉

Φ6.5 cannulated locking screw

Φ6.5 松质骨螺钉

Φ6.5 cancellous screw

Φ4.5 皮质骨螺钉

Φ4.5 cortex screw

Φ5.0 锁定钉

Φ5.0 locking screw



订货编码 Order code.	规格 Specification		
10.11.22.03100301	左 L	3 孔	135mm
10.11.22.03200301	右 R	3 孔	135mm
10.11.22.05100301	左 L	5 孔	169mm
10.11.22.05200301	右 R	5 孔	169mm
10.11.22.07100301	左 L	7 孔	203mm
10.11.22.07200301	右 R	7 孔	203mm
10.11.22.09100301	左 L	9 孔	237mm
★ 10.11.22.09200301	右 R	9 孔	237mm
10.11.22.11100301	左 L	11 孔	271mm
10.11.22.11200301	右 R	11 孔	271mm
10.11.22.13100301	左 L	13 孔	304mm
10.11.22.13200301	右 R	13 孔	304mm

万向锁定股骨颈接骨板 II 型

Multi-axial neck of femur locking plate II type

适用部位：股骨颈骨折

Suitable for fracture of neck of femur

配用：

Φ6.5 空心接骨螺钉

Φ6.5 空心锁定钉

Φ6.5 松质骨螺钉

Φ5.0 锁定钉

Matching

Φ6.5 cannulated screw

Φ6.5 cannulated locking screw

Φ6.5 cancellous screw

Φ5.0 locking screw



订货编码 Order code.	规格 Specification			
* 10.11.22.02003000	万向 Multi- axial	左右式	2 孔	66mm
10.11.22.02102000		左 L	2 孔	66mm
10.11.22.02202000		右 R	2 孔	66mm



锁定股骨近端接骨板

Proximal femur locking plate

适用部位：粗隆下端

Suitable for proximal femur

配用：

Φ4.5 皮质骨螺钉, Φ6.5 松质骨螺钉, Φ5.0 锁定钉

Matching Φ4.5 cortex screw,

Φ6.5 cancellous screw, Φ5.0 locking screw



订货编码 Order code.	规格 Specification			
10.14.23.05100400	左 L	5 孔	131mm	
10.14.23.05200400	右 R	5 孔	131mm	
* 10.14.23.07100400	左 L	7 孔	167mm	
10.14.23.07200400	右 R	7 孔	167mm	
10.14.23.09100400	左 L	9 孔	203mm	
10.14.23.09200400	右 R	9 孔	203mm	
10.14.23.11100400	左 L	11 孔	239mm	
10.14.23.11200400	右 R	11 孔	239mm	

万向锁定股骨近端接骨板

Multi-axial proximal femur locking plate

适用部位：粗隆下端

Suitable for proximal femur

配用：

Φ4.5 皮质骨螺钉, Φ6.5 松质骨螺钉, Φ5.0 锁定钉

Matching Φ4.5 cortex screw,

Φ6.5 cancellous screw, Φ5.0 locking screw



订货编码 Order code.	规格 Specification		
10.14.24.05100000	左 L	5 孔	131mm
10.14.24.05200000	右 R	5 孔	131mm
* 10.14.24.07100000	左 L	7 孔	167mm
10.14.24.07200000	右 R	7 孔	167mm
10.14.24.09100000	左 L	9 孔	203mm
10.14.24.09200000	右 R	9 孔	203mm
10.14.24.11100000	左 L	11 孔	239mm
10.14.24.11200000	右 R	11 孔	239mm



锁定股骨远端接骨板

Distal femur locking plate

适用部位：股骨远端

Suitable for distal femur

配用：Φ4.5 皮质骨螺钉, Φ6.5 松质骨螺钉, Φ5.0 锁定钉

Matching Φ4.5 cortex screw, Φ6.5 cancellous screw, Φ5.0 locking screw



订货编码 Order code.	规格 Specification		
10.14.26.05102400	左 L	5 孔	153mm
10.14.26.05202400	右 R	5 孔	153mm
★ 10.14.26.07102400	左 L	7 孔	189mm
10.14.26.07202400	右 R	7 孔	189mm
10.14.26.09102400	左 L	9 孔	225mm
10.14.26.09202400	右 R	9 孔	225mm
10.14.26.11102400	左 L	11 孔	261mm
10.14.26.11202400	右 R	11 孔	261mm

万向锁定股骨远端接骨板

Multi-axial distal femur locking plate

适用部位：股骨远端

Suitable for distal femur

配用：Φ4.5 皮质骨螺钉, Φ6.5 松质骨螺钉, Φ5.0 锁定钉

Matching Φ4.5 cortex screw, Φ6.5 cancellous screw, Φ5.0 locking screw

订货编码 Order code.	规格 Specification		
10.14.27.05102000	左 L	5 孔	153mm
10.14.27.05202000	右 R	5 孔	153mm
* 10.14.27.07102000	左 L	7 孔	189mm
10.14.27.07202000	右 R	7 孔	189mm
10.14.27.09102000	左 L	9 孔	225mm
10.14.27.09202000	右 R	9 孔	225mm
10.14.27.11102000	左 L	11 孔	261mm
10.14.27.11202000	右 R	11 孔	261mm





锁定胫骨平台内侧接骨板 Medial tibia plateau locking plate

适用部位：胫骨平台内侧
Suitable for medial tibia plateau

配用：Φ4.5 皮质骨螺钉, Φ6.5 松质骨螺钉, Φ5.0 锁定钉
Matching Φ4.5 cortex screw, Φ6.5 cancellous screw, Φ5.0 locking screw



订货编码 Order code.	规格 Specification		
10.14.28.03102000	左 L	3 孔	89mm
10.14.28.03202000	右 R	3 孔	89mm
10.14.28.05102000	左 L	5 孔	125mm
10.14.28.05202000	右 R	5 孔	125mm
* 10.14.28.07102000	左 L	7 孔	161mm
10.14.28.07202000	右 R	7 孔	161mm
10.14.28.09102000	左 L	9 孔	197mm
10.14.28.09202000	右 R	9 孔	197mm
10.14.28.11102000	左 L	11 孔	233mm
10.14.28.11202000	右 R	11 孔	233mm

万向锁定胫骨平台内侧接骨板

Multi-axial medial tibia plateau locking plate

适用部位： 胫骨平台内侧
Suitable for medial tibia plateau

配用： $\Phi 4.5$ 皮质骨螺钉, $\Phi 6.5$ 松质骨螺钉, $\Phi 5.0$ 锁定钉
Matching $\Phi 4.5$ cortex screw, $\Phi 6.5$ cancellous screw, $\Phi 5.0$ locking screw



订货编码 Order code.	规格 Specification		
10.14.29.03102000	左 L	3 孔	89mm
10.14.29.03202000	右 R	3 孔	89mm
10.14.29.05102000	左 L	5 孔	125mm
10.14.29.05202000	右 R	5 孔	125mm
* 10.14.29.07102000	左 L	7 孔	161mm
10.14.29.07202000	右 R	7 孔	161mm
10.14.29.09102000	左 L	9 孔	197mm
10.14.29.09202000	右 R	9 孔	197mm
10.14.29.11102000	左 L	11 孔	233mm
10.14.29.11202000	右 R	11 孔	233mm



锁定胫骨平台外侧接骨板

Lateral tibia plateau locking plate

适用部位： 胫骨平台外侧

Suitable for lateral tibia plateau

配用： $\Phi 4.5$ 皮质骨螺钉, $\Phi 6.5$ 松质骨螺钉, $\Phi 5.0$ 锁定钉

Matching $\Phi 4.5$ cortex screw, $\Phi 6.5$ cancellous screw,
 $\Phi 5.0$ locking screw



订货编码 Order code.	规格 Specification		
10.14.30.03101000	左 L	3 孔	100mm
10.14.30.03201000	右 R	3 孔	100mm
10.14.30.05101000	左 L	5 孔	136mm
10.14.30.05201000	右 R	5 孔	136mm
★ 10.14.30.07101000	左 L	7 孔	172mm
10.14.30.07201000	右 R	7 孔	172mm
10.14.30.09101000	左 L	9 孔	208mm
10.14.30.09201000	右 R	9 孔	208mm
10.14.30.11101000	左 L	11 孔	244mm
10.14.30.11201000	右 R	11 孔	244mm

万向锁定胫骨平台外侧接骨板

Multi-axial lateral tibia plateau locking plate

适用部位: 胫骨平台外侧
Suitable for lateral tibia plateau

配用: $\Phi 4.5$ 皮质骨螺钉, $\Phi 6.5$ 松质骨螺钉, $\Phi 5.0$ 锁定钉
Matching $\Phi 4.5$ cortex screw, $\Phi 6.5$ cancellous screw, $\Phi 5.0$ locking screw



订货编码 Order code.	规格 Specification		
10.14.31.03101000	左 L	3 孔	100mm
10.14.31.03201000	右 R	3 孔	100mm
10.14.31.05101000	左 L	5 孔	136mm
10.14.31.05201000	右 R	5 孔	136mm
* 10.14.31.07101000	左 L	7 孔	172mm
10.14.31.07201000	右 R	7 孔	172mm
10.14.31.09101000	左 L	9 孔	208mm
10.14.31.09201000	右 R	9 孔	208mm
10.14.31.11101000	左 L	11 孔	244mm
10.14.31.11201000	右 R	11 孔	244mm



锁定胫骨远端外侧接骨板

Distal lateral tibia locking plate

适用部位： 胫骨中下端

Suitable for tibia middle and lower end

配用： $\Phi 4.5$ 松质骨螺钉, $\Phi 4.5$ 皮质骨螺钉, $\Phi 5.0$ 锁定钉

Matching $\Phi 4.5$ cancellous screw, $\Phi 4.5$ cortex screw, $\Phi 5.0$ locking screw



订货编码 Order code.	规格 Specification		
10.14.33.05101000	左 L	5 孔	121mm
10.14.33.05201000	右 R	5 孔	121mm
* 10.14.33.07101000	左 L	7 孔	157mm
10.14.33.07201000	右 R	7 孔	157mm
10.14.33.09101000	左 L	9 孔	193mm
10.14.33.09201000	右 R	9 孔	193mm
10.14.33.11101000	左 L	11 孔	229mm
10.14.33.11201000	右 R	11 孔	229mm

万向锁定胫骨远端外侧接骨板

Multi-axial distal lateral tibia locking plate

适用部位: 胫骨中下端

Suitable for tibia middle and lower end

配用: $\Phi 4.5$ 松质骨螺钉, $\Phi 4.5$ 皮质骨螺钉, $\Phi 5.0$ 锁定钉

Matching $\Phi 4.5$ cancellous screw, $\Phi 4.5$ cortex screw, $\Phi 5.0$ locking screw

订货编码 Order code.	规格 Specification		
10.14.34.05101000	左 L	5 孔	121mm
10.14.34.05201000	右 R	5 孔	121mm
* 10.14.34.07101000	左 L	7 孔	157mm
10.14.34.07201000	右 R	7 孔	157mm
10.14.34.09101000	左 L	9 孔	193mm
10.14.34.09201000	右 R	9 孔	193mm
10.14.34.11101000	左 L	11 孔	229mm
10.14.34.11201000	右 R	11 孔	229mm





钛质锁定接骨螺钉

Titanium locking screw

Φ2.0 锁定钉

Φ2.0 Locking screw

订货编码 Order code.	规格 (mm) Specification
11.06.0120.007119	2.0 × 7
11.06.0120.009119	2.0 × 9
11.06.0120.011119	2.0 × 11
11.06.0120.013119	2.0 × 13
11.06.0120.015119	2.0 × 15
11.06.0120.017119	2.0 × 17
11.06.0120.019119	2.0 × 19



配用：

Φ1.6 医用钻头
SW1.2 四角改锥

Matching:

Φ1.6 medical drill bit
SW1.2 quadrangle
screwdriver

Φ2.4 锁定钉

Φ2.4 Locking screw

订货编码 Order code.	规格 (mm) Specification
11.11.0524.010119	2.4 × 10
11.11.0524.012119	2.4 × 12
11.11.0524.014119	2.4 × 14
11.11.0524.016119	2.4 × 16
11.11.0524.018119	2.4 × 18
11.11.0524.020119	2.4 × 20
11.11.0524.022119	2.4 × 22
11.11.0524.024119	2.4 × 24
11.11.0524.026119	2.4 × 26



配用：

Φ1.9 医用钻头
SW1.5 四角改锥

Matching:

Φ1.9 medical drill bit
SW1.5 quadrangle
screwdriver

Φ3.0 锁定钉

Φ3.0 Locking screw

订货编码 Order code.	规格 (mm)Specification
11.11.0530.012118	3.0 × 12
11.11.0530.014118	3.0 × 14
11.11.0530.016118	3.0 × 16
11.11.0530.018118	3.0 × 18
11.11.0530.020118	3.0 × 20
11.11.0530.022118	3.0 × 22
11.11.0530.024118	3.0 × 24
11.11.0530.026118	3.0 × 26
11.11.0530.028118	3.0 × 28
11.11.0530.030118	3.0 × 30
11.11.0530.032118	3.0 × 32
11.11.0530.034118	3.0 × 34
11.11.0530.036118	3.0 × 36
11.11.0530.038118	3.0 × 38
11.11.0530.040118	3.0 × 40
11.11.0530.042118	3.0 × 42
11.11.0530.044118	3.0 × 44
11.11.0530.046118	3.0 × 46



配用:

Φ2.3 医用钻头
SW2.0 四角改锥

Matching:

Φ2.3 medical drill bit
SW2.0 quadrangle
screwdriver



Φ4.0 锁定钉 Φ4.0 Locking screw

订货编码 Order code.	规格 (mm) Specification
11.11.0340.012112	4.0 × 12
11.11.0340.014112	4.0 × 14
11.11.0340.016112	4.0 × 16
11.11.0340.018112	4.0 × 18
11.11.0340.020112	4.0 × 20
11.11.0340.022112	4.0 × 22
11.11.0340.024112	4.0 × 24
11.11.0340.026112	4.0 × 26
11.11.0340.028112	4.0 × 28
11.11.0340.030112	4.0 × 30
11.11.0340.032112	4.0 × 32
11.11.0340.034112	4.0 × 34
11.11.0340.036112	4.0 × 36
11.11.0340.038112	4.0 × 38
11.11.0340.040112	4.0 × 40
11.11.0340.042112	4.0 × 42
11.11.0340.044112	4.0 × 44
11.11.0340.046112	4.0 × 46
11.11.0340.048112	4.0 × 48
11.11.0340.050112	4.0 × 50
11.11.0340.052112	4.0 × 52
11.11.0340.054112	4.0 × 54
11.11.0340.056112	4.0 × 56
11.11.0340.058112	4.0 × 58
11.11.0340.060112	4.0 × 60
11.11.0340.065112	4.0 × 65
11.11.0340.070112	4.0 × 70
11.11.0340.075112	4.0 × 75
11.11.0340.080112	4.0 × 80
11.11.0340.085112	4.0 × 85
11.11.0340.090112	4.0 × 90
11.11.0340.095112	4.0 × 95



配用:

Φ3.2 医用钻头
SW2.5 六角改锥

Matching:

Φ3.2 medical drill bit
SW2.5 hexagon screwdriver

Φ5.0 锁定钉 Φ5.0 Locking screw

订货编码 Order code.	规格 (mm)Specification
11.11.0350.012112	5.0 × 12
11.11.0350.014112	5.0 × 14
11.11.0350.016112	5.0 × 16
11.11.0350.018112	5.0 × 18
11.11.0350.020112	5.0 × 20
11.11.0350.022112	5.0 × 22
11.11.0350.024112	5.0 × 24
11.11.0350.026112	5.0 × 26
11.11.0350.028112	5.0 × 28
11.11.0350.030112	5.0 × 30
11.11.0350.032112	5.0 × 32
11.11.0350.034112	5.0 × 34
11.11.0350.036112	5.0 × 36
11.11.0350.038112	5.0 × 38
11.11.0350.040112	5.0 × 40
11.11.0350.042112	5.0 × 42
11.11.0350.044112	5.0 × 44
11.11.0350.046112	5.0 × 46
11.11.0350.048112	5.0 × 48
11.11.0350.050112	5.0 × 50
11.11.0350.055112	5.0 × 55
11.11.0350.060112	5.0 × 60
11.11.0350.065112	5.0 × 65
11.11.0350.070112	5.0 × 70
11.11.0350.075112	5.0 × 75
11.11.0350.080112	5.0 × 80
11.11.0350.085112	5.0 × 85
11.11.0350.090112	5.0 × 90
11.11.0350.095112	5.0 × 95
11.11.0350.100112	5.0 × 100



配用:

Φ4.2 医用钻头
SW3.5 六角改锥

Matching:

Φ4.2 medical drill bit
SW3.5 hexagon
screwdriver



Φ6.5 空心锁定钉

Φ6.5 Cannulated locking screw

配用:

Φ2.5 螺纹导针

Φ5.0 空心医用钻头

SW4.0 空心六角改锥



Matching:

Φ2.5 threaded needle

Φ5.0 cannulated medical drill bit

SW4.0 cannulated hexagon screwdriver

订货编码 Order code.	规格 (mm) Specification
11.11.0665.070113	6.5 × 70
11.11.0665.075113	6.5 × 75
11.11.0665.080113	6.5 × 80
11.11.0665.085113	6.5 × 85
11.11.0665.090113	6.5 × 90
11.11.0665.095113	6.5 × 95
11.11.0665.100113	6.5 × 100
11.11.0665.105113	6.5 × 105
11.11.0665.110113	6.5 × 110



钛质皮质骨接骨螺钉

Titanium cortex screw

Φ2.0 皮质骨螺钉

Φ2.0 Cortex screw

配用:

Φ 1.6 医用钻头

SW1.2 四角改锥



Matching:

Φ 1.6 medical drill bit

SW1.2 quadrangle screwdriver



订货编码 Order code.	规格 (mm)Specification
11.07.0220.007113	2.0 × 7
11.07.0220.009113	2.0 × 9
11.07.0220.011113	2.0 × 11
11.07.0220.013113	2.0 × 13
11.07.0220.015113	2.0 × 15
11.07.0220.017113	2.0 × 17
11.07.0220.019113	2.0 × 19



Φ2.4 皮质骨螺钉

Φ2.4 Cortex screw

配用:

Φ 1.9 医用钻头
SW1.5 四角改锥

Matching:

Φ 1.9 medical drill bit
SW1.5 quadrangle screwdriver



订货编码 Order code.	规格 (mm)Specification
11.12.0224.010119	2.4 × 10
11.12.0224.012119	2.4 × 12
11.12.0224.014119	2.4 × 14
11.12.0224.016119	2.4 × 16
11.12.0224.018119	2.4 × 18
11.12.0224.020119	2.4 × 20
11.12.0224.022119	2.4 × 22
11.12.0224.024119	2.4 × 24
11.12.0224.026119	2.4 × 26

Φ3.0 皮质骨螺钉

Φ3.0 Cortex screw

配用:

Φ2.3 医用钻头
SW2.0 四角改锥

Matching:

Φ2.3 medical drill bit
SW2.0 quadrangle screwdriver



订货编码 Order code.	规格 (mm)Specification
11.12.0330.012118	3.0 × 12
11.12.0330.014118	3.0 × 14
11.12.0330.016118	3.0 × 16
11.12.0330.018118	3.0 × 18
11.12.0330.020118	3.0 × 20
11.12.0330.022118	3.0 × 22
11.12.0330.024118	3.0 × 24
11.12.0330.026118	3.0 × 26
11.12.0330.028118	3.0 × 28
11.12.0330.030118	3.0 × 30
11.12.0330.032118	3.0 × 32
11.12.0330.034118	3.0 × 34
11.12.0330.036118	3.0 × 36
11.12.0330.038118	3.0 × 38
11.12.0330.040118	3.0 × 40
11.12.0330.042118	3.0 × 42
11.12.0330.044118	3.0 × 44
11.12.0330.046118	3.0 × 46



Φ3.5 皮质骨螺钉

Φ3.5 Cortex screw

订货编码 Order code.	规格 (mm) Specification
11.12.0335.012113	3.5 × 12
11.12.0335.014113	3.5 × 14
11.12.0335.016113	3.5 × 16
11.12.0335.018113	3.5 × 18
11.12.0335.020113	3.5 × 20
11.12.0335.022113	3.5 × 22
11.12.0335.024113	3.5 × 24
11.12.0335.026113	3.5 × 26
11.12.0335.028113	3.5 × 28
11.12.0335.030113	3.5 × 30
11.12.0335.032113	3.5 × 32
11.12.0335.034113	3.5 × 34
11.12.0335.036113	3.5 × 36
11.12.0335.038113	3.5 × 38
11.12.0335.040113	3.5 × 40
11.12.0335.042113	3.5 × 42
11.12.0335.044113	3.5 × 44
11.12.0335.046113	3.5 × 46
11.12.0335.048113	3.5 × 48
11.12.0335.050113	3.5 × 50
11.12.0335.055113	3.5 × 55
11.12.0335.060113	3.5 × 60
11.12.0335.065113	3.5 × 65



配用:

Φ2.5 医用钻头
SW2.5 六角改锥

Matching:

Φ2.5 medical drill bit
SW2.5 hexagon
screwdriver

Φ4.5 皮质骨螺钉

Φ4.5 Cortex screw

订货编码 Order code.	规格 (mm)Specification
11.12.0345.020113	4.5 × 20
11.12.0345.022113	4.5 × 22
11.12.0345.024113	4.5 × 24
11.12.0345.026113	4.5 × 26
11.12.0345.028113	4.5 × 28
11.12.0345.030113	4.5 × 30
11.12.0345.032113	4.5 × 32
11.12.0345.034113	4.5 × 34
11.12.0345.036113	4.5 × 36
11.12.0345.038113	4.5 × 38
11.12.0345.040113	4.5 × 40
11.12.0345.042113	4.5 × 42
11.12.0345.044113	4.5 × 44
11.12.0345.046113	4.5 × 46
11.12.0345.048113	4.5 × 48
11.12.0345.050113	4.5 × 50
11.12.0345.052113	4.5 × 52
11.12.0345.054113	4.5 × 54
11.12.0345.056113	4.5 × 56
11.12.0345.058113	4.5 × 58
11.12.0345.060113	4.5 × 60
11.12.0345.065113	4.5 × 65
11.12.0345.070113	4.5 × 70
11.12.0345.075113	4.5 × 75
11.12.0345.080113	4.5 × 80
11.12.0345.085113	4.5 × 85
11.12.0345.090113	4.5 × 90
11.12.0345.095113	4.5 × 95
11.12.0345.100113	4.5 × 100
11.12.0345.105113	4.5 × 105
11.12.0345.110113	4.5 × 110
11.12.0345.115113	4.5 × 115
11.12.0345.120113	4.5 × 120



配用:

Φ3.2 医用钻头
SW3.5 六角改锥

Matching:

Φ3.2 medical drill bit
SW3.5 hexagon
screwdriver



钛质松质骨接骨螺钉

Titanium cancellous screw

Φ4.0 松质骨螺钉 (全螺纹)

Φ4.0 Cancellous screw (Fully threaded)

订货编码 Order code.	规格 (mm) Specification
11.12.0440.012113	4.0 × 12
11.12.0440.014113	4.0 × 14
11.12.0440.016113	4.0 × 16
11.12.0440.018113	4.0 × 18
11.12.0440.020113	4.0 × 20
11.12.0440.022113	4.0 × 22
11.12.0440.024113	4.0 × 24
11.12.0440.026113	4.0 × 26
11.12.0440.028113	4.0 × 28
11.12.0440.030113	4.0 × 30
11.12.0440.032113	4.0 × 32
11.12.0440.034113	4.0 × 34
11.12.0440.036113	4.0 × 36
11.12.0440.038113	4.0 × 38
11.12.0440.040113	4.0 × 40
11.12.0440.042113	4.0 × 42
11.12.0440.044113	4.0 × 44
11.12.0440.046113	4.0 × 46
11.12.0440.048113	4.0 × 48
11.12.0440.050113	4.0 × 50
11.12.0440.055113	4.0 × 55
11.12.0440.060113	4.0 × 60
11.12.0440.065113	4.0 × 65
11.12.0440.070113	4.0 × 70
11.12.0440.075113	4.0 × 75
11.12.0440.080113	4.0 × 80
11.12.0440.085113	4.0 × 85
11.12.0440.090113	4.0 × 90
11.12.0440.095113	4.0 × 95



配用:

Φ2.5 医用钻头
SW2.5 六角改锥

Matching:

Φ2.5 medical drill bit
SW2.5 hexagon
screwdriver

Φ4.0 松质骨螺钉(半螺纹)

Φ4.0 Cancellous screw (Half threaded)

订货编码 Order code.	规格 (mm)Specification
11.12.0440.014213	4.0×14
11.12.0440.016213	4.0×16
11.12.0440.018213	4.0×18
11.12.0440.020213	4.0×20
11.12.0440.022213	4.0×22
11.12.0440.024213	4.0×24
11.12.0440.026213	4.0×26
11.12.0440.028213	4.0×28
11.12.0440.030213	4.0×30
11.12.0440.032213	4.0×32
11.12.0440.034213	4.0×34
11.12.0440.036213	4.0×36
11.12.0440.038213	4.0×38
11.12.0440.040213	4.0×40
11.12.0440.042213	4.0×42
11.12.0440.044213	4.0×44
11.12.0440.046213	4.0×46
11.12.0440.048213	4.0×48
11.12.0440.050213	4.0×50
11.12.0440.055213	4.0×55
11.12.0440.060213	4.0×60
11.12.0440.065213	4.0×65
11.12.0440.070213	4.0×70
11.12.0440.075213	4.0×75
11.12.0440.080213	4.0×80



配用:

Φ2.5 医用钻头
SW2.5 六角改锥

Matching:

Φ2.5 medical drill bit
SW2.5 hexagon
screwdriver



Φ4.5 松质骨螺钉(全螺纹)

Φ4.5 Cancellous screw (Fully threaded)

配用:

Φ3.2 医用钻头
SW3.5 六角改锥

Matching:

Φ3.2 medical drill bit
SW3.5 hexagon screwdriver



订货编码 Order code.	规格 (mm)Specification
11.12.0445.020113	4.5 × 20
11.12.0445.025113	4.5 × 25
11.12.0445.030113	4.5 × 30
11.12.0445.035113	4.5 × 35
11.12.0445.040113	4.5 × 40
11.12.0445.045113	4.5 × 45
11.12.0445.050113	4.5 × 50
11.12.0445.055113	4.5 × 55
11.12.0445.060113	4.5 × 60

Φ4.5 松质骨螺钉(半螺纹)

Φ4.5 Cancellous screw (Half threaded)

配用:

Φ3.2 医用钻头
SW3.5 六角改锥

Matching:

Φ3.2 medical drill bit
SW3.5 hexagon screwdriver



订货编码 Order code.	规格 (mm)Specification
11.12.0445.025213	4.5 × 25
11.12.0445.030213	4.5 × 30
11.12.0445.035213	4.5 × 35
11.12.0445.040213	4.5 × 40
11.12.0445.045213	4.5 × 45
11.12.0445.050213	4.5 × 50
11.12.0445.055213	4.5 × 55
11.12.0445.060213	4.5 × 60
11.12.0445.065213	4.5 × 65



Φ6.5 松质骨螺钉(全螺纹)

Φ6.5 Cancellous screw (Fully threaded)

配用:

Φ3.2 医用钻头
SW3.5 六角改锥

Matching:

Φ3.2 medical drill bit
SW3.5 hexagon screwdriver



订货编码 Order code.	规格 (mm)Specification
11.07.0465.035113	6.5 × 35
11.07.0465.040113	6.5 × 40
11.07.0465.045113	6.5 × 45
11.07.0465.050113	6.5 × 50
11.07.0465.055113	6.5 × 55
11.07.0465.060113	6.5 × 60
11.07.0465.065113	6.5 × 65
11.07.0465.070113	6.5 × 70
11.07.0465.075113	6.5 × 75
11.07.0465.080113	6.5 × 80

Φ6.5 松质骨螺钉(半螺纹)

Φ6.5 Cancellous screw (Half threaded)

配用:

Φ3.2 医用钻头
SW3.5 六角改锥

Matching:

Φ3.2 medical drill bit
SW3.5 hexagon screwdriver

订货编码 Order code.	规格 (mm)Specification
11.07.0465.035213	6.5 × 35
11.07.0465.040213	6.5 × 40
11.07.0465.045213	6.5 × 45
11.07.0465.050213	6.5 × 50
11.07.0465.055213	6.5 × 55
11.07.0465.060213	6.5 × 60
11.07.0465.065213	6.5 × 65
11.07.0465.070213	6.5 × 70
11.07.0465.075213	6.5 × 75
11.07.0465.080213	6.5 × 80
11.07.0465.085213	6.5 × 85
11.07.0465.090213	6.5 × 90
11.07.0465.095213	6.5 × 95
11.07.0465.100213	6.5 × 100
11.07.0465.105213	6.5 × 105
11.07.0465.110213	6.5 × 110
11.07.0465.115213	6.5 × 115
11.07.0465.120213	6.5 × 120





钛质空心接骨螺钉

Titanium cannulated screw

Φ3.5 空心接骨螺钉

Φ3.5 Cannulated screw

配用:

Φ 1.2 螺纹导针

Φ 2.5 空心医用钻头

SW2.5 空心六角改锥

Matching:

Φ 1.2 threaded needle

Φ 2.5 cannulated medical drill bit

SW2.5 cannulated hexagon screwdriver

订货编码 Order code.	规格 (mm) Specification
11.08.0135.020214	3.5 × 20
11.08.0135.022214	3.5 × 22
11.08.0135.024214	3.5 × 24
11.08.0135.026214	3.5 × 26
11.08.0135.028214	3.5 × 28
11.08.0135.030214	3.5 × 30
11.08.0135.032214	3.5 × 32
11.08.0135.034214	3.5 × 34
11.08.0135.036214	3.5 × 36
11.08.0135.038214	3.5 × 38
11.08.0135.040214	3.5 × 40
11.08.0135.042214	3.5 × 42
11.08.0135.044214	3.5 × 44
11.08.0135.046214	3.5 × 46
11.08.0135.048214	3.5 × 48
11.08.0135.050214	3.5 × 50



Φ4.0 空心接骨螺钉

Φ4.0 Cannulated screw

配用:

Φ 1.5 螺纹导针
Φ 3.0 空心医用钻头
SW2.5 空心四角改锥

Matching:

Φ 1.5 threaded needle
Φ 3.0 cannulated medical drill bit
SW2.5 cannulated quadrangle screwdriver



订货编码 Order code.	规格 (mm) Specification
11.08.0240.031214	4.0 × 31
11.08.0240.033214	4.0 × 33
11.08.0240.035214	4.0 × 35
11.08.0240.037214	4.0 × 37
11.08.0240.039214	4.0 × 39
11.08.0240.041214	4.0 × 41
11.08.0240.043214	4.0 × 43
11.08.0240.045214	4.0 × 45
11.08.0240.047214	4.0 × 47



Φ4.5 空心接骨螺钉

Φ4.5 Cannulated screw

配用:

Φ1.5 螺纹导针

Φ3.0 空心医用钻头

SW2.5 空心四角改锥

Matching:

Φ1.5 threaded needle

Φ3.0 cannulated medical drill bit

SW2.5 cannulated quadrangle screwdriver



订货编码 Order code.	规格 (mm) Specification
11.08.0245.030213	4.5 × 30
11.08.0245.035213	4.5 × 35
11.08.0245.040213	4.5 × 40
11.08.0245.045213	4.5 × 45
11.08.0245.050213	4.5 × 50
11.08.0245.055213	4.5 × 55
11.08.0245.060213	4.5 × 60

Φ6.5 空心接骨螺钉

Φ6.5 Cannulated screw

配用:

Φ2.5 螺纹导针
Φ5.0 空心医用钻头
SW4.0 空心六角改锥

Matching:

Φ2.5 threaded needle
Φ5.0 cannulated medical drill bit
SW4.0 cannulated hexagon screwdriver

订货编码 Order code.	规格 (mm) Specification
11.08.0165.050213	6.5 × 50
11.08.0165.055213	6.5 × 55
11.08.0165.060213	6.5 × 60
11.08.0165.065213	6.5 × 65
11.08.0165.070213	6.5 × 70
11.08.0165.075213	6.5 × 75
11.08.0165.080213	6.5 × 80
11.08.0165.085213	6.5 × 85
11.08.0165.090213	6.5 × 90
11.08.0165.095213	6.5 × 95
11.08.0165.100213	6.5 × 100
11.08.0165.105213	6.5 × 105



钛质垫片 Titanium washer

订货编码 Order code.	规格 Specification
10.05.01.01000007	Φ7
10.05.01.01003012	Φ12





Φ7.3 空心接骨螺钉

Φ7.3 Cannulated screw

配用:

Φ2.5 螺纹导针

Φ5.0 空心医用钻头

SW4.0 空心六角改锥

Matching:

Φ2.5 threaded needle

Φ5.0 cannulated medical drill bit

SW4.0 cannulated hexagon screwdriver

订货编码 Order code.	规格 (mm) Specification
11.08.0173.060213	7.3×60
11.08.0173.065213	7.3×65
11.08.0173.070213	7.3×70
11.08.0173.075213	7.3×75
11.08.0173.080213	7.3×80
11.08.0173.085213	7.3×85
11.08.0173.090213	7.3×90
11.08.0173.095213	7.3×95
11.08.0173.100213	7.3×100
11.08.0173.105213	7.3×105
11.08.0173.110213	7.3×110
11.08.0173.115213	7.3×115



钛质空心接骨螺钉

Titanium Cannulated Headless Compression screw

Φ2.4 空心接骨螺钉 - 渐变加压

Φ2.4 Cannulated Headless Compression screw

配用:

Φ0.9 螺纹导针

Φ1.7 空心医用钻头

SW1.5 空心六角改锥

Matching:

Φ0.9 threaded needle

Φ1.7 cannulated medical drill bit

SW1.5 cannulated hexagon screwdriver

订货编码 Order code.	规格 (mm) Specification
11.08.0424.008313	2.4 × 8
11.08.0424.009313	2.4 × 9
11.08.0424.010313	2.4 × 10
11.08.0424.011313	2.4 × 11
11.08.0424.012313	2.4 × 12
11.08.0424.013313	2.4 × 13
11.08.0424.014313	2.4 × 14
11.08.0424.016313	2.4 × 16
11.08.0424.018313	2.4 × 18
11.08.0424.020313	2.4 × 20
11.08.0424.022313	2.4 × 22
11.08.0424.024313	2.4 × 24
11.08.0424.026313	2.4 × 26
11.08.0424.028313	2.4 × 28
11.08.0424.030313	2.4 × 30





Φ2.7 空心接骨螺钉 - 渐变加压

Φ2.7 Cannulated Headless Compression screw

配用:

Φ0.9 螺纹导针

Φ1.9 空心医用钻头

SW1.5 空心六角改锥

Matching:

Φ0.9 threaded needle

Φ1.9 cannulated medical drill bit

SW1.5 cannulated hexagon screwdriver



订货编码 Order code.	规格 (mm) Specification
11.08.0427.008313	2.7 × 8
11.08.0427.009313	2.7 × 9
11.08.0427.010313	2.7 × 10
11.08.0427.011313	2.7 × 11
11.08.0427.012313	2.7 × 12
11.08.0427.013313	2.7 × 13
11.08.0427.014313	2.7 × 14
11.08.0427.016313	2.7 × 16
11.08.0427.018313	2.7 × 18
11.08.0427.020313	2.7 × 20
11.08.0427.022313	2.7 × 22
11.08.0427.024313	2.7 × 24
11.08.0427.026313	2.7 × 26
11.08.0427.028313	2.7 × 28
11.08.0427.030313	2.7 × 30

Φ3.0 空心接骨螺钉 - 渐变加压

Φ3.0 Cannulated Headless Compression screw

配用:

Φ1.1 螺纹导针

Φ2.1 空心医用钻头

SW2.0 空心六角改锥

Matching:

Φ1.1 threaded needle

Φ2.1 cannulated medical drill bit

SW2.0 cannulated hexagon screwdriver



订货编码 Order code.	规格 (mm)Specification
11.08.0430.016313	3.0 × 16
11.08.0430.018313	3.0 × 18
11.08.0430.020313	3.0 × 20
11.08.0430.022313	3.0 × 22
11.08.0430.024313	3.0 × 24
11.08.0430.026313	3.0 × 26
11.08.0430.028313	3.0 × 28
11.08.0430.030313	3.0 × 30
11.08.0430.032313	3.0 × 32
11.08.0430.034313	3.0 × 34
11.08.0430.036313	3.0 × 36
11.08.0430.038313	3.0 × 38
11.08.0430.040313	3.0 × 40



Φ3.5 空心接骨螺钉 - 渐变加压

Φ3.5 Cannulated Headless Compression screw

配用:

Φ1.1 螺纹导针

Φ2.5 空心医用钻头

SW2.0 空心六角改锥

Matching:

Φ1.1 threaded needle

Φ2.5 cannulated medical drill bit

SW2.0 cannulated hexagon screwdriver

订货编码 Order code.	规格 (mm) Specification
11.08.0435.020313	3.5 × 20
11.08.0435.022313	3.5 × 22
11.08.0435.024313	3.5 × 24
11.08.0435.026313	3.5 × 26
11.08.0435.028313	3.5 × 28
11.08.0435.030313	3.5 × 30
11.08.0435.032313	3.5 × 32
11.08.0435.034313	3.5 × 34
11.08.0435.036313	3.5 × 36
11.08.0435.038313	3.5 × 38
11.08.0435.040313	3.5 × 40
11.08.0435.042313	3.5 × 42
11.08.0435.044313	3.5 × 44
11.08.0435.046313	3.5 × 46
11.08.0435.048313	3.5 × 48
11.08.0435.050313	3.5 × 50



Φ4.0 空心接骨螺钉 - 渐变加压

Φ4.0 Cannulated Headless Compression screw

配用: Φ1.5 螺纹导针
Φ2.7 空心医用钻头
SW2.5 空心六角改锥

Matching: Φ1.5 threaded needle
Φ2.7 cannulated medical drill bit
SW2.5 cannulated hexagon screwdriver



订货编码 Order code.	规格 (mm)Specification
11.08.0440.020313	4.0 × 20
11.08.0440.022313	4.0 × 22
11.08.0440.024313	4.0 × 24
11.08.0440.026313	4.0 × 26
11.08.0440.028313	4.0 × 28
11.08.0440.030313	4.0 × 30
11.08.0440.032313	4.0 × 32
11.08.0440.034313	4.0 × 34
11.08.0440.036313	4.0 × 36
11.08.0440.038313	4.0 × 38
11.08.0440.040313	4.0 × 40
11.08.0440.042313	4.0 × 42
11.08.0440.044313	4.0 × 44
11.08.0440.046313	4.0 × 46
11.08.0440.048313	4.0 × 48
11.08.0440.050313	4.0 × 50



钛质空心接骨螺钉

Titanium Cannulated Compression Screw

Φ2.4 空心接骨螺钉 - 双向加压

Φ2.4 Cannulated Compression Screw

配用:

Φ0.9 螺纹导针

Φ1.7 空心医用钻头

SW1.5 空心六角改锥



Matching:

Φ0.9 threaded needle

Φ1.7 cannulated medical drill bit

SW1.5 cannulated hexagon screwdriver



订货编码 Order code.	规格 (mm) Specification
11.08.0424.010314	2.4 × 10
11.08.0424.011314	2.4 × 11
11.08.0424.012314	2.4 × 12
11.08.0424.013314	2.4 × 13
11.08.0424.014314	2.4 × 14
11.08.0424.016314	2.4 × 16
11.08.0424.018314	2.4 × 18
11.08.0424.020314	2.4 × 20
11.08.0424.022314	2.4 × 22

Φ3.0 空心接骨螺钉 - 双向加压

Φ3.0 Cannulated Compression Screw

配用:

Φ1.1 螺纹导针

Φ2.1 空心医用钻头

SW2.0 空心六角改锥

Matching:

Φ1.1 threaded needle

Φ2.1 cannulated medical drill bit

SW2.0 cannulated hexagon screwdriver

订货编码 Order code.	规格 (mm)Specification
11.08.0430.012314	3.0 × 12
11.08.0430.013314	3.0 × 13
11.08.0430.014314	3.0 × 14
11.08.0430.016314	3.0 × 16
11.08.0430.018314	3.0 × 18
11.08.0430.020314	3.0 × 20
11.08.0430.022314	3.0 × 22
11.08.0430.024314	3.0 × 24
11.08.0430.026314	3.0 × 26
11.08.0430.028314	3.0 × 28
11.08.0430.030314	3.0 × 30
11.08.0430.032314	3.0 × 32
11.08.0430.034314	3.0 × 34
11.08.0430.036314	3.0 × 36
11.08.0430.038314	3.0 × 38
11.08.0430.040314	3.0 × 40





Φ4.0 空心接骨螺钉 - 双向加压

Φ4.0 Cannulated Compression Screw

配用:

Φ1.5 螺纹导针

Φ3.0 空心医用钻头

SW2.5 空心四角改锥

Matching:

Φ1.5 threaded needle

Φ3.0 cannulated medical drill bit

SW2.5 cannulated quadrangle screwdriver



订货编码 Order code.	规格 (mm)Specification
11.08.0240.031311	4.0 × 31
11.08.0240.033311	4.0 × 33
11.08.0240.035311	4.0 × 35
11.08.0240.037311	4.0 × 37
11.08.0240.039311	4.0 × 39
11.08.0240.041311	4.0 × 41
11.08.0240.043311	4.0 × 43
11.08.0240.045311	4.0 × 45
11.08.0240.047311	4.0 × 47



江苏双羊医疗器械有限公司

Jiangsu Shuangyang Medical Instrument Co.,Ltd.

地址：江苏省张家港市杨舍镇包基双羊大厦

邮编 Postcode: 215600

ADD: Shuangyang Building, Baoji, Yangshe
Town, Zhangjiagang City, Jiangsu Province, China

电话 Telephone: 0512-58268332

传真 FAX: 0512-58268337

E-Mail: shuangyang@jsshuangyang.com



www.jsshuangyang.com

微信号: shuangyang8